

- Benson -

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	8532	power adj line and fault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/07/08 13:03
2	BRS	L2	945	power adj line and fault and measure and current and voltage and angle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/07/08 13:04
3	BRS	L3	428	power adj line and fault and measure and current and voltage and angle same phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/07/08 13:04
4	BRS	L4	377957	l3 ans impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/07/08 13:05
5	BRS	L5	265	l3 and impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/07/08 13:05
6	BRS	L6	20	l5 and shunt adj capacitance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/07/08 13:05
7	BRS	L7	8	("0969268" "1023419" "4384289").PN. OR ("4746241").URPN.	US-PGPUB; USPAT; USOCR	2007/07/08 13:07
8	BRS	L8	16	("3475702" "3581077").PN. OR ("3772505").URPN.	US-PGPUB; USPAT; USOCR	2007/07/08 13:09
9	BRS	L9	30	("3453544" "3460042" "3983477" "4158810" "4268818" "4371908" "4384289" "4415896" "4420752" "4429299" "4446458" "4484290" "4513382").PN. OR ("4689752").URPN.	US-PGPUB; USPAT; USOCR	2007/07/08 13:10
10	BRS	L10	53	("4384289" "4611207" "4635055" "4646006" "4689752" "4709339" "4723220" "4758962" "4818990").PN. OR ("4904996").URPN.	US-PGPUB; USPAT; USOCR	2007/07/08 13:14
11	BRS	L11	77	power adj line same fault adj location	US-PGPUB; USPAT; USOCR	2007/07/08 13:57
12	BRS	L12	688	324/522.ccls.	US-PGPUB; USPAT; USOCR	2007/07/08 14:01
13	BRS	L13	291	324/522.ccls. and impedance	US-PGPUB; USPAT; USOCR	2007/07/08 13:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	6	l13 and shunt adj capacitance	US-PGPUB; USPAT; USOCR	2007/07/08 13:58
15	BRS	L15	338	324/525.ccls.	US-PGPUB; USPAT; USOCR	2007/07/08 14:01
16	BRS	L16	27	324/525.ccls. and impedance and shunt	US-PGPUB; USPAT; USOCR	2007/07/08 15:03
17	BRS	L17	688	324/522.ccls.	US-PGPUB; USPAT; USOCR	2007/07/08 14:07
18	BRS	L18	48	324/522.ccls. and impedance and shunt	US-PGPUB; USPAT; USOCR	2007/07/08 14:08
19	BRS	L19	10	324/521.ccls. and impedance and shunt	US-PGPUB; USPAT; USOCR	2007/07/08 14:09
20	BRS	L20	3	324/531.ccls. and impedance and shunt	US-PGPUB; USPAT; USOCR	2007/07/08 14:09
21	BRS	L21	214	324/512.ccls.	US-PGPUB; USPAT; USOCR	2007/07/08 15:03
22	BRS	L22	14	324/512.ccls. and impedance and shunt	US-PGPUB; USPAT; USOCR	2007/07/08 15:03

Interface search

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Sunday, July 08, 2007

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB; PLUR=NO; OP=ADJ</i>	
<input type="checkbox"/>	L2	(fault and impedance and shunt adj capacitance and distance and end).clm.	2
<input type="checkbox"/>	L1	fault and impedance and shunt adj capacitance and distance and end	26

END OF SEARCH HISTORY